Prediction of Er:YAG Laser Treatment's Short-term Efficacy on Stress Urinary Incontinence in Women; a Croatian Prospective Cohort Study

Ivan Fistonić, Nikola Fistonić

Institute for Women's Health, Zagreb, Croatia; 20b/Gyn Clinic, University Hospital Merkur, Zagreb, Croatia

SUMMARY

Aim: To find the pre-intervention predictors of short-term outcomes with non-invasive laser treatment for mild-to-severe SUI, and to identify female patient segments with the highest Er:YAG laser treatment short-term efficacy.

Methods: A prospective cohort, single-center study at an Ob/Gyn Clinic in Zagreb, Croatia, recruited a consecutive sample of 85 female patients suffering from SUI. The procedure was performed with a 2940 nm Er:YAG laser (XS Dynamis, Fotona, Slovenia) designed to achieve heating up of vaginal mucosa to around 60°C, 500-700 microns in depth. The key outcome was a relative change of ICIQ-UI \geq 30%. We decided to use the \geq 30% cut off point based on Nystrom et al. 2015 (1). In this study this was the mean ICIQ-UI change at the first follow up, four months from the intervention in women that received pelvic floor muscle training, the standard non-invasive SUI therapy.

Results: In the total sample, the mean relative decrease of ICIQ-UI one month after the intervention was 50% (SD 46%). After adjustment for age, body mass index, parity, average birth weight, perineometry average pressure, and baseline residual urine by multivariate binary logistic regression, the factors of lower age and lower Q-tip test angle significantly increased the probability of effective intervention (P=0.049; P=0.010 respectively). Bellow the age of 44 and after the age of 57, only age was a significant predictor. Both age and Q-tip test result were significant predictors if women were 45-56 years old. The patient segment with the highest treatment efficacy was women younger than 48 years whose average birth weight was >3.61 kg. The mean ICIQ-UI relative decrease in this segment was 92% (SD 19%), which was 84% more than the average of the whole sample.

Conclusion: Age and Q-tip test results, and their interaction, may be used as predictors of laser treatment efficacy on SUI. The highest Er:YAG laser treatment short-term efficacy may be expected at women younger than 48, whose average birth weight was > 3.61 kg.

5 Years Follow-Up of Onychomycosis Patients Treated with 1064 nm Nd:YAG

Yegor Kolodchenko, Vasil Baetul

Laser Clinic Cogerent, Kiev, Ukraine

SUMMARY

The frequency of recurrence of onychomycosis is not known, recurrence rates between 6.5% and 53% have been reported, despite successful treatment with oral antifungal drugs.

1064 nm Nd:YAG laser treatment of fungal nail disease was clinically evaluated on a Ukrainian patient population. 108 patients exhibiting 312 infected nails were treated with 1064 nm Nd:YAG laser at a single clinical site over a period of two years (2010-2012). All patients were diagnosed with one of four types of onychomycosis, caused by various fungi.

At the 1 year follow-up, 89 patients (82.4%) were cured; 80 of which (74.1%) had negative fungal cultures and 9 (8.3%) showed clinical improvement, while 19 patients (17.6%) were non-responsive to the therapy.

During the 5 year period we observed recurrence in 23 cases, among them only 7 cases at late period (8-14 months). All recurrence patients were treated additionally (by laser in case of recurrence at 1-6 months and oral terbinafine at late period). Only one case of late recurrence (after 12 months) was never cured.

The last follow-up was done by the telephone interview. We could interview only 94 patients out of 108. Only 3 of the non-available patients had bad result after the treatment and 11 had good. At 5 years after the treatment 78.7% of interviewed patients remained cured and only 20 patients (21.3%) were uncured.

Thus we conclude that Nd:YAG 1064 laser treatment demonstrates good clinical result in the long term. It is safe, effective and doesn't lead to greater recurrence after 5 years than traditional oral drugs.

Tukaj vnesite enačbo.

The intent of this Laser and Health Academy publication is to facilitate an exchange of information on the views, research results, and clinical experiences within the medical laser community. The contents of this publication are the sole responsibility of the authors and may not in any circumstances be regarded as official product information by medical equipment manufacturers. When in doubt, please check with the manufacturers about whether a specific product or application has been approved or cleared to be marketed and sold in your country.